BER Advertising Requirements Guidelines

These Guidelines are issued pursuant to article 12 of S.I. 243 of 2012 EUROPEAN UNION (ENERGY PERFORMANCE OF BUILDINGS) REGULATIONS 2012 wherein the Sustainable Energy Authority of Ireland (SEAI) as the designated Issuing Authority, shall from time to time publish guidelines as to how Building Energy Rating (BER) details would be conveyed in property sale and rental advertisements.





- A person offering a property for sale or rent on or after 9th January 2013, or their agent, shall ensure that the energy performance indicator of the current BER certificate for the building is stated in any advertisements, where such advertisements are taken relating to the sale or letting of that building. See S.I. 243 of 2012 for detailed regulatory requirements and definitions
- Prospective buyers and renters will be shown the BER rating (Alphanumeric value) along with other prescribed content (dependent on the particular medium) in a prominent location in each specific advertisement
- Where images of the property are used then the presentation of the alphanumeric value will be by way of the prescribed BER Alphanumeric Rating Motif for the particular property rating
- The BER Alphanumeric Rating Motif artwork files will be made available in electronic format from the SEAI website or on request to info@ber.seai.ie

1.0GeneralApplicationGuidelines

In accordance with S.I. 243 of 2012, these requirements apply to advertisements, meaning a public announcement in:

- Newspaper, magazine
- Brochure, leaflet
- Advertising notice (publicly displayed structure intended to advertise a business, product or service)
- Vehicle
- Radio, Television
- Internet (incl. apps and social media)
- Direct mail
- Such forms as may be designated by Issuing Authority

2.0
BER Advertising
Requirements
Guidelines

A3_BER_CMYK_Print.eps

A3_BER_Black_Print.eps

B3 BER CMYK Print.eps

B3 BER Black Print.eps

BER B3

A3 BER RGB Web and PC.eps

A3_BER_RGB_Web_and_PC.png

B3 BER RGB Web and PC.eps

B3 BER RGB Web and PC.png


B3_BER_PMS_Spot_Colour.eps

A3 BER PMS Spot Colour.eps

2.1 Single BER Alphanumeric Rating Motif

The complete range of single BER Alphanumeric Rating Motifs are illustrated on this page along with the naming convention used for artwork files.

The artwork folder hierarchy is illustrated below:



If colour is used within the advertisement then a colour BER Alphanumeric Rating Motif must be used

A sample black BER Alphanumeric Rating Motif is illustrated below, for limited use only.



BER)B1

BER C1

A1 BER CMYK Print.eps A1 BER RGB Web and PC.eps A1 BER PMS Spot Colour.eps A1_BER_Black_Print.eps

A1_BER_RGB_Web_and_PC.png

B1 BER CMYK Print.eps B1_BER_RGB_Web_and_PC.eps

B1_BER_PMS_Spot_Colour.eps

B1 BER Black Print.eps

C1 BER CMYK Print.eps

C1_BER_Black_Print.eps

D1 BER CMYK Print.eps

D1_BER_Black_Print.eps

B1 BER RGB Web and PC.png

C1 BER RGB Web and PC.eps

C1 BER_RGB_Web_and_PC.png

D1 BER RGB Web and PC.eps

D1_BER_RGB_Web_and_PC.png

D1 BER PMS Spot Colour.eps

C1_BER_PMS_Spot_Colour.eps

C2 BER CMYK Print.eps C2 BER RGB Web and PC.eps C2_BER_PMS_Spot_Colour.eps C2_BER_Black_Print.eps C2_BER_RGB_Web_and_PC.png

D2 BER CMYK Print.eps D2 BER RGB Web and PC.eps D2 BER PMS Spot Colour.eps D2_BER_Black_Print.eps D2_BER_RGB_Web_and_PC.png

E2 BER CMYK Print.eps E2 BER RGB Web and PC.eps E2_BER_PMS_Spot_Colour.eps E2 BER Black Print.eps E2 BER RGB Web and PC.png

BER B2

B2 BER CMYK Print.eps B2 BER RGB Web and PC.eps B2_BER_PMS_Spot_Colour.eps B2 BER Black Print.eps

B2 BER RGB Web and PC.png

A2 BER CMYK Print.eps

A2_BER_Black_Print.eps

A2 BER RGB Web and PC.eps

A2 BER PMS Spot Colour.eps

A2_BER_RGB_Web_and_PC.png

BER C3

C3 BER CMYK Print.eps C3 BER RGB Web and PC.eps C3_BER_PMS_Spot_Colour.eps C3_BER_Black_Print.eps C3 BER_RGB_Web_and_PC.png

BER D1

E1 BER CMYK Print.eps E1 BER RGB Web and PC.eps E1_BER_PMS_Spot_Colour.eps E1 BER Black Print.eps

E1 BER RGB Web and PC.png

F1 BER CMYK Print.eps F1_BER_RGB_Web_and_PC.eps F1 BER PMS Spot Colour.eps F1 BER Black Print.eps F1 BER_RGB_Web_and_PC.png



G1_BER_CMYK_Print.eps

G1 BER RGB Web and PC.eps G1_BER_PMS_Spot_Colour.eps

G1_BER_Black_Print.eps

G1_BER_RGB_Web_and_PC.png

BER F G

BER E1 E2

BER E1 G

BER E2 F

BER D1 D2

BER D1 E1


BER D1 E2

BER D1 F


BER D2 E1

BER D2 F
BER D2 G

The complete range of dual BER Alphanumeric Rating Motifs are illustrated on this page. A sample naming convention used for artwork for the A1-A2 BER rating is illustrated below, all dual logos will follow this naming convention.



The artwork folder hierarchy is illustrated below:



If colour is used within the advertisement then a colour BER Alphanumeric Rating Motif must be used.

A sample black dual BER Alphanumeric Rating Motif is illustrated below, for limited use only.




| BER A1 A2 | BER B1 B2 | BER C1 C2 |
|-----------|-----------|-----------|
| BER A1 A3 | BER B1 B3 | BER C1 C3 |
| BER A1 B1 | BER B1 C1 | BER C1 D1 |
| BER A1 B2 | BER B1 C2 | BER C1 D2 |
| BER A1 B3 | BER)B1)C3 | BER C1 E1 |
| BER A1 C1 | BER)B1)D1 | BER C1 E2 |
| BER A1 C2 | BER B1 D2 | BER C1 F |
| BER A1 C3 | BER B1 E1 | BER C1 G |
| BER A1 D1 | BER B1 E2 | BER C2 C3 |
| BER A1 D2 | BER B1 F | BER C2 D1 |
| BERA1 E1 | BER B1 G | BER C2 D2 |
| BERA1 E2 | BER B2 B3 | BER C2 E1 |
| BERA1) F | BER B2 C1 | BER C2 E2 |
| BER A1 G | BER B2 C2 | BER C2 F |
| BER A2 A3 | BER B2 C3 | BER C2 G |
| BER A3 B1 | BER B2 D1 | BER C3 D1 |
| BER A3 B2 | BER B2 D2 | BER C3 D2 |
| BER A2 B3 | BER B2 E1 | BER C3 E1 |
| BER A2 C1 | BER B2 E2 | BER C3 E2 |
| BER A2 C2 | BER B2 F | BER C3 F |
| BER A2 C3 | BER B2 G | BER C3 G |
| BER A2 D1 | BER B3 C1 | |
| BER A2 D2 | BER B3 C2 | |
| BER A2 E1 | BER B3 C3 | |
| BER A2 E2 | BER B3 D1 | |
| BER A2 F | BER B3 D2 | |
| BER A2 G | BER B3 E1 | |
| BER A3 B1 | BER B3 E2 | |
| BER A3 B2 | BER B3 F | |
| BER A3 B3 | BER B3 G | |
| BER A3 C1 | | |
| BER A3 C2 | | |
| BER A3 C3 | | |
| BER A3 D1 | | |
| BER A3 D2 | | |
| BER A3 E1 | | |
| BER A3 E2 | | |
| BER A3 F | | |

BER A3 G

BER Alphanumeric Rating Motif

The motif comprises two discrete but interconnected elements:

- BER emblem
- BER Alphanumeric rating (A1-G) depending on the specific property being promoted



BER Alphanumeric Rating text

The BER Alphanumeric Rating as shown on the BER cert when it is displayed in text.

- The prefix "BER:" must precede the BER Alphanumeric Rating when it is displayed in text


BER Number for Specific Property

- The prefix "BER No." must precede the BER nine-digit number when it is displayed in text
- BER nine-digit number as reflected on the BER cert and the BER National Administration System database. (Depending on the medium this component may or may not be included.)


Energy Performance Indicator

The Energy Performance Indicator shown on a BER certificate is the energy required for space heating and cooling, water heating, ventilation and lighting. It is expressed in kilowatt hours per m² of floor area per year (kWh/m²/yr). It allows for an objective comparison of different buildings on a like for like basis, even those within the same BER grade.


- "Energy Performance Indicator:" must precede the Energy Performance Indicator numerical value
- "kWh/m²/yr" must follow the Energy Performance Indicator numerical value as a whole number (no decimal places)




BER No.123456789



Energy Performance Indicator: 123 kWh/m²/yr





Size

- For each medium where the BER Alphanumeric Rating Motif is utilised, minimum sizes are prescribed (see specific application guidelines pages)
- The relative width and height of the BER Alphanumeric Rating Motif must not be altered from that supplied in the prescribed electronic files
- However in all instances the size used should be sufficient that the BER Alphanumeric Rating Motif is clearly legible by the intended audience, relative to the overall size of advertising medium and such that other content in the advertisement does not deliberately diminish the legibility of rating

Minimum Size

- Minimum Height for print: 3mm to include the white clearance zone (10% of size of .eps artwork files supplied)
- Minimum Height for web: 17 pixels to include the white clearance zone
- Minimum Height for an Estate Agent display board: 5% of total display board height

Clearance Zone and Background

The BER Alphanumeric Rating Motif is placed on its own white background which defines the clearance zone for it. Any elements within this clearance zone must not be altered. Also, designers using the motif must not do anything within the overall design which could be construed as deliberately distracting from or allowing for misrepresentation / misinterpretation of the motif.



2.4 Colours

The colours are per those set down in the electronic formats by SEAI and no effort should be made to amend these colours, particularly as they relate to conveying the energy rating of the property. However for avoidance of doubt the BER Alphanumeric Rating Motif colours are shown opposite.

Should the BER Alphanumeric Rating Motif need to be reproduced in single colour the prescribed Black and White artwork should be used. Do not tint any colours or reproduce the motif in any other colours than those prescribed.

| | СМҮК | RGB | Spot (PMS) |
|-----------------|--------------------------------------|---------------------------|------------------|
| Dark Green | C: 100% M: 0% Y: 100% K: 0% | R: 0 G: 166 B: 81 | PMS 347 C |
| Mid Green | C: 70% M: 0% Y: 100% K: 0% | R: 81 G: 184 B: 72 | PMS 368 C |
| Bright Green | C: 30% M: 0% Y: 100% K: 0% | R: 191 G: 215 B: 48 | PMS 390 C |
| Yellow | C: 0% M: 0% Y: 100% K: 0% | R: 255 G: 242 B: 0 | Pantone Yellow C |
| Mid Orange | C: 0% M: 30% Y: 100% K: 0% | R: 253 G: 185 B: 19 | PMS 130 C |
| Dark Orange | C: 0% M: 70% Y: 100% K: 0% | R: 243 G: 112 B: 33 | PMS 165 C |
| Red | C: 0% M: 100% Y: 100% K: 0% | R: 237 G: 28 B: 36 | PMS 485 C |

BER Alphanumeric Rating Motif

The typeface used in the BER Alphanumeric Rating Motif are:

- BER title: Helvetica LT Std Bold

- Alphanumeric scale: Helvetica LT Std Bold

BER Number for Specific property

- The font used should be the same as that used for other details within the advertisement and the same POINT SIZE as that used for the other specifications being presented in advert. The font used should be the same COLOUR as that used for the other specifications being presented in advert
- Helvetica LT Std Bold is also an acceptable font for the BER Number

Energy Performance Indicator

- The font used should be the same as that used for other details within the advertisement and the same POINT SIZE as that used for the other specifications being presented in advert. The font used should be the same COLOUR as that used for the other specifications being presented in advert
- Helvetica LT Std Bold is also an acceptable font for the Energy Performance Indicator

Helvetica LT Std Bold

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz 1234567890



2.5 Co-Location with Other Branding

Where the BER Alphanumeric Rating Motif is used in close proximity with other brands relating to other aspects or attributes of the property then the BER Alphanumeric Rating Motif should be aligned either horizontally or vertically and presented at approximately equal heights in a manner which does not diminish either of the brands.

The BER Alphanumeric Rating Motif does not need to be presented at equal heights to associated Estate Agent logos or property development logos.


Aligned horizontally





Aligned vertically





3.0 Medium Specific Guidelines

3.1 Summary Requirements

The guidance on the following pages relates generally to single property advertisements

| | | BER Motif | BER Written Details / Spoken Details | | |
|---|-----------------------|----------------------------------|--------------------------------------|--------------|---------------------------------------|
| | Detailed Requirements | BER Alphanumeric Rating Motif | BER Alphanumeric rating | BER Number | Energy Performance Indicator (EPI) |
| Newspaper, Magazine Display Advertisements | Section 3.2 | Mandatory | Not required | Mandatory | Not required |
| Newspaper, Magazine Text Advertisements (small ads) | Section 3.3 | Not required | Mandatory | Mandatory | Not required |
| Brochure, leaflet | Section 3.4 | Mandatory | Mandatory | Mandatory | Mandatory |
| Advertising Notice: Sale / Rental Display Board | Section 3.5 | Mandatory | Not required | Not required | Not required |
| Advertising Notice: Convetional Advertising Poster | Section 3.6 | Mandatory | Not required | Not required | Not required |
| Radio | Section 3.7 | Not applicable | Mandatory | Not required | Not required |
| Television | Section 3.8 | Mandatory | Not required | Not required | Not required |
| Internet Property Index Page (incl. Mobile/Tablet Apps) | Section 3.9 | Mandatory | Not required | Not required | Not required |
| Internet Details Page (incl. Mobile/Tablet Apps) | Section 3.10 | Mandatory | Mandatory | Mandatory | Mandatory |
| Direct Mail - Print and Electronic | Section 3.11 | Mandatory | Mandatory | Mandatory | Mandatory |

Multiple property advertising follows the same summary requirements as denoted above. For specific guidance on instances where the advertisement relates to more than one property e.g. homes in a speculative development, apartments in a single complex please see Section 3.12

3.2 Newspaper, Magazine Display Advertisements

Applies to any paid for advertisement in the print media (newspaper, magazine, freesheet etc.)

Where there is graphical elements included in the advertisement (pictorial representation of property) then the BER must be represented using the BER Identity Guidelines below. This also relates to paid for advertorial where there is pictorial representation of the property(s).

| BER Alphanumer | ic Rating Motif |
|----------------|---|
| Content | BER Alphanumeric Rating Motif complete, reflecting the actual alpha numeric rating for the property. |
| Presentation | Using electronic format for the motif as supplied by SEAI. |
| Placement | Must appear prominently in the advertisement / advertorial. |
| Colour | Must be reproduced in colour (when available) which faithfully represents the applicable energy performance grade. Black and White artwork is available for monotone use. |
| Minimum Size: | Should be displayed at the same height as the Property Price or Address. Minimum Height for print: 3mm to include the white clearance zone (10% of size of .eps artwork files supplied). |

and

| BER Written Detai | ils |
|-------------------|---|
| Content | BER number for specific property. |
| Presentation | Should be the same font or similar to the main body font |
| Placement | Should appear within the body text describing the property, preferably in a separately captioned section or alongside the other specification data for the property (dimensions, heating, utilities etc.) |
| Colour | The font used should be the same COLOUR as that used for the other specifications being presented in advertisement. |
| Minimum Size: | The font used should be the same POINT SIZE as that used for the other specifications being presented in advertisement. |





Location Name House Name, Street Name This is an outstanding opportunity to acquire a substantial detached resistanding on an impressive site of 3 acre (acprox) on one of Dublin's premier residential reads. The according requires extensive refurbishment comprise . porch . halfway . drawing . dring . living . kitchan/breakfast/TV . 5 bods [master ensuite] . bath. To the side is a T bed self-contained apt. Front garden with gonerous of street parsing, garage, targe wolled beek garden.
Whom Saturday 10th Navember 2pm - 3pm BER No.123456789 Tel: 2


€1,750,000

Location Name

Building Name BER No.123456789 Wonderful det dormer bungelow home in s. superts location with excellent potential. South facing garden. • half • fixing • family • kit/bites. 3 beds * bath * shower mr. View Set 10th Nov 11.30am - 12.30pm Tel: 234 5678







Recently extended and refurbished with great flair and impaccable taste No. 135 now provides 2010 sq ft / 186 sq m of besuffully appointed light filled accommodation in addition to a levely 100h landscaped back parden with excellent rear scooss and off street parking. • drowing • dining • living • magnificent kitchen/breakfast • guest. w.c. ■ 4 bectoons (master with shower) ■ patricion, BER No.123456789. View Saturday 10th November 11:30am - 12:30pm



Phone: 123456789



southerly aspect. Close to all amenities and several schools. Sporting Facilities nearby. Great access to local transport network and Public Transport. Viewing Saturday 12.00 to 1.00pm and by appointment.

WEBSITE ADDRESS

Estate Agent

Website address



Location Name

Livingroom, Dining Room, Kitchen, Study/Family Room, Utility, 2 Bathrooms. BER No.123456789 Wonderful gardens with southerly aspect.

On View Saturday 12.00 to 1.00

Applies to any paid for advertisement in the print media (newspaper, magazine, freesheet etc.)

Where the advertisement comprises text only e.g. small ads, then the BER Written Details Guidelines should be used.

| BER Written Detail | ls |
|--------------------|---|
| Content | BER Alphanumeric rating. BER number for specific property. |
| Presentation | Should be the same font or similar to the main body font |
| Placement | Should appear within the body text describing the property, preferably in a separately captioned section or alongside the other specification data for the property (dimensions, heating, utilities etc.) |
| Colour | The font used should be the same COLOUR as that used for the other specifications being presented in advertisement. |
| Minimum Size: | The font used should be the same POINT SIZE as that used for the other specifications being presented in advertisement. |



Applies to hard copy brochures and sales pamphlets and / or electronic formats of said documents used for web or e-mail promotion

In these circumstances, given the facility for visual and detailed content, the requirement comprises both a motif AND text presentation of the BER information.

| BER Alphanumeric Rating Motif | | |
|-------------------------------|--|--|
| Content | BER Alphanumeric Rating Motif, reflecting the actual alpha numeric rating for the property. | |
| Presentation | Using electronic format for the motif as supplied by SEAI. | |
| Placement | Must appear prominently on the front panel of the brochure. | |
| Colour | Must be reproduced in colour (when available) which faithfully represents the applicable energy performance grade. Black and White artwork is available for monotone use. | |
| Minimum Size: | Minimum Height for print: 3mm to include the white clearance zone (10% of size of .eps artwork files supplied). | |

and

| BER Written Deta | ils |
|------------------|---|
| Content | BER Alphanumeric rating. BER number for specific property. Actual energy performance indicator. |
| Presentation | Should be the same font or similar to the main body font |
| Placement | Should appear within the body text describing the property, preferably in a separately captioned section or alongside the other specification data for the property (dimensions, heating, utilities etc.) |
| Colour | The font used should be the same COLOUR as that used for the other specifications being presented in brochure. |
| Minimum Size: | The font used should be the same POINT SIZE as that used for the other specifications being presented in brochure. |













DETAILS

Livingroom, Dining Room, Kitchen, Study/Family Room, Utility, 2
Bathrooms. Wonderful gardens with southerly aspect. Close to all amenities and several schools. Sporting Facilities nearby. Great access to local transport network and Public Transport. Viewing Saturday 12.00 to 1.00pm and by appointment.

BER DETAILS

BER B2

BER No.123456789

Energy Performance Indicator: XXX kWh/m2/yr

Sample internal page

No less than 5% of total display board


height.

Applies to display boards placed on / outside a property specifically associated with its sale or rental

| BER Alphanumer | c Rating Motif |
|----------------|--|
| Content | BER Alphanumeric Rating Motif, reflecting the actual alpha numeric rating for the property. |
| Presentation | Using electronic format for the motif as supplied by SEAI. |
| Placement | Must appear prominently on the advertising notice in a manner which is fully and clearly legible from the intended vantage point(s) for the notice. |
| Colour | Must be reproduced in colour (when available) which faithfully represents the applicable energy performance grade. Black and White artwork is available for monotone use. |
| Minimum Size: | Must be reproduced at a size which is proportionate to the other key details on the notice and which is fully and clearly legible from the intended vantage point(s) for the notice. No less than 5% of total display board height. |








Applies to conventional outdoor advertising posters generally promoting property(s), typically including property specific details e.g.: 48 sheet posters.

| BER Alphanumeric Rating Motif | | |
|-------------------------------|---|--|
| Content | BER Alphanumeric Rating Motif, reflecting the actual alpha numeric rating for the property. | |
| Presentation | Using electronic format for the motif as supplied by SEAI. | |
| Placement | Must appear prominently on the advertising notice in a manner which is fully and clearly legible from the intended vantage point(s) for the notice. | |
| Colour | Must be reproduced in colour (when available) which faithfully represents the applicable energy performance grade. Black and White artwork is available for monotone use. | |
| Minimum Size: | Must be reproduced at a size which is proportionate to the other key details on the notice and which is fully and clearly legible from the intended vantage point(s) for the notice. No less than 5% of total poster height. | |



No less than 5% of total poster height.

| BER Spoken Details | | | |
|--------------------|---|--|--|
| Content | BER Alphanumeric rating, reflecting the actual alpha numeric rating for the property. | | |
| Placement | Should appear within the body copy describing the property, preferably alongside other specification data for the property. There should be no attempt to disguise the detail in a 'postscript' to the advertisement. | | |



Should appear within the body copy describing the property, preferably alongside other specification data for the property.

| BER Alphanumeric Rating Motif | | |
|-------------------------------|---|--|
| Content | BER Alphanumeric Rating Motif, reflecting the actual alpha numeric rating for the property. | |
| Presentation | Using electronic format for the motif as supplied by SEAI. | |
| Placement | Must appear prominently on the advertisement and for sufficient duration that it is legible for the average viewer. | |
| Colour | Must be reproduced in colour which faithfully represents the applicable energy performance grade. | |
| Minimum Size: | Must be reproduced at a size which is proportionate to the other key details on the screen at the same time. | |

and

| BER Spoken Details | |
|--------------------|---|
| Content | BER Alphanumeric rating, reflecting the actual alpha numeric rating for the property. |
| Placement | Should appear within the narration describing the property, preferably alongside other specification data for the property. There should be no attempt to disguise the detail in a 'postscript' to the advertisement. |



3.9 Internet Property Index Page (incl. Mobile/Tablet Apps)

Applies to Websites and Mobile/Tablet App index search results / listings pages

In these circumstances, given the facility for visual content, the requirement comprises a BER Alphanumeric Rating Motif, reflecting the actual alpha numeric rating for the property

| BER Alphanumeric Rating Motif | |
|-------------------------------|---|
| Content | BER Alphanumeric Rating Motif, reflecting the actual alpha numeric rating for the property. |
| Presentation | Using electronic format for the motif as supplied by SEAI. |
| Placement | Must appear prominently within the abreviated listing details. |
| Colour | Must be reproduced in colour (when available) which faithfully represents the applicable energy performance grade. |
| Minimum Size: | Should be displayed at the same height as the Property Price or Address. Minimum size: 17 pixels high to include white clearance zone. |




Applies to Websites and Mobile/Tablet App property details pages

In these circumstances, given the facility for visual and detailed content, the requirement comprises both a motif AND text presentation of the BER information

| BER Alphanumeric Rating Motif | | |
|-------------------------------|---|--|
| Content | BER Alphanumeric Rating Motif, reflecting the actual alpha numeric rating for the property. | |
| Presentation | Using electronic format for the motif as supplied by SEAI. | |
| Placement | Must appear prominently, towards the top of the main listing details. | |
| Colour | Must be reproduced in colour (when available) which faithfully represents the applicable energy performance grade. | |
| Minimum Size: | Should be displayed at the same height as the Property Price or Address. Minimum size: 17 pixels high to include white clearance zone. | |

and

| BER Written Details | |
|---------------------|---|
| Content | BER Alphanumeric Rating in text. |
| | BER number for specific property. Actual energy performance indicator. |
| | Actual energy performance indicator. |
| Presentation | Should be the same font or similar to the main body font |
| Placement | Should appear within the body text describing the property, preferably in a separately captioned section or alongside the other specification data for the property (dimensions, heating, utilities etc.) |
| Colour | The font used should be the same COLOUR as that used for the other specifications being presented in property details page. |
| Minimum Size: | The font used should be the same POINT SIZE as that used for the other specifications being presented in property details page. |




Applies to Printed and Email direct mail marketing

In these circumstances, given the facility for visual and detailed content, the requirement comprises both a motif AND text presentation of the BER information

| BER Alphanumeric Rating Motif | | |
|-------------------------------|--|--|
| Content | BER Alphanumeric Rating Motif, reflecting the actual alpha numeric rating for the property. | |
| Presentation | Using electronic format for the motif as supplied by SEAI. | |
| Placement | Must appear prominently, on the front panel of the direct mail piece. | |
| Colour | Must be reproduced in colour (when available) which faithfully represents the applicable energy performance grade. | |
| Minimum Size: | Should be displayed at the same height as the Property Price or Address. Minimum size email: 17 pixels high to include white clearance zone. Minimum size print: 3mm high to include white clearance zone. | |

and

| BER Written Detai | Is |
|-------------------|---|
| Content | BER Alphanumeric Rating in text. BER number for specific property. Actual energy performance indicator. |
| Presentation | Should be the same font or similar to the main body font |
| Placement | Should appear within the body text describing the property, preferably in a separately captioned section or alongside the other specification data for the property (dimensions, heating, utilities etc.) |
| Colour | The font used should be the same COLOUR as that used for the other specifications being presented in the direct mail piece. |
| Minimum Size: | The font used should be the same POINT SIZE as that used for the other specifications being presented in the direct mail piece. |



ON VIEW THIS WEEKEND







Sample Direct

Mail Page with BER motif

DETAILS

Livingroom, Dining Room, Kitchen, Study/Family Room, Utility, 2
Bathrooms. Wonderful gardens with southerly aspect. Close to all amenities and several schools. Sporting Facilities nearby. Great access to local transport network and Public Transport. Viewing Saturday 12.00 to 1.00pm and by appointment.

BER DETAILS

BER: B2

BER No.123456789

Energy Performance Indicator: XXX kWh/m²/yr

Sample BER Written Details


3.12 Multiple Property Advertisements

Multiple property advertising follows the same guidelines as denoted in Sections 3.1 to 3.11 of this document. The guidance on the previous pages relates generally to single property advertisements. However in instances where the advertisement relates to more than one property e.g. homes in a speculative development, apartments in a single complex then the following additional rules apply.

BER Alphanumeric Rating Motif

Where the particular advertisement relates to more than one property then the following rule exists for presenting the Alphanumeric rating:

- Indicate the range of BER ratings for all relevant properties using the prescribed dual BER Alphanumeric Rating Motif indicating the most efficient rating first and least efficient rating second
- Use electronic format for the motif as supplied by SEAI



BER Alphanumeric Rating text

Indicate the range of BER ratings for all relevant properties in text, indicating the most efficient rating first and least efficient rating second.


BER Number

Where the particular advertisement relates to more than one property then no BER number need be indicated, however the brochure/ website should clearly state where the BER numbers for all relevant properties may be sought and this must be available on demand, from the time of placing of the advertisement.

Energy Performance Indicator

Where the particular advertisement relates to more than one property then present the Energy Performance Indicator or EPI (where it is specifically mandated for the medium) in the following manner:

- Indicate the range of EPIs from lowest value (first) to hightest value (second) for all relevant properties
- Must be clearly denoted on the advertisement in clearly legible text











MULTIPLE PROPERTY DEVELOPMENT NAME

DETAILS

Livingroom, Dining Room, Kitchen, Study/Family Room, Utility, 2 Bathrooms.

Wonderful gardens with southerly aspect. Close to all amenities and several schools.

Sporting Facilities nearby. Great access to local transport network and Public

Transport. Viewing Saturday 12.00 to 1.00pm and by appointment.

BER DETAILS

BER: A1-B3

BER Nos. Available from Estate Agent Name

Range of Energy Performance Indicators: XXX kWh/ m^2/yr - XXX kWh/ m^2/yr

Sample internal page

4.0 Appendix

Some essential definitions and extracts from S.I. 243 of 2012 European Union (Energy Performance of Buildings) Regulations 2012 are reproduced below.

"Issuing Authority" means the Sustainable Energy Authority of Ireland as established pursuant to the Sustainable Energy Act 2002 (No. 2 of 2002). The Issuing Authority shall be responsible for the administration of the BER system in accordance with the requirements of these Regulations;

"Advertisement" in relation to a building energy rating, means a public announcement—

- a) in a newspaper,
- b) in a magazine,
- c) in a brochure,
- d) in a leaflet,
- e) on an advertising notice,
- f) on a vehicle,
- g) on the radio,
- h) on the television,
- i) on the internet (including on websites and applications used for social networking),
- j) through direct mail (whether in printed or e-mail format), or
- k) in such other forms as may be prescribed in guidance provided by the Issuing Authority,

providing information in relation to the building energy rating recorded on the BER register in respect of the building to which that advertisement relates;

"Advertising notice" means a publicly displayed structure carrying lettering or designs intended to advertise a business, product or service;

Article 12: Advertising of BER

- A person who offers for sale or letting (whether in writing or otherwise)
 - a. a new dwelling, the construction of which commences on or after 9 January 2013, or
 - b. a dwelling that is in existence on or before 9 January 2013,
 - and any agent acting on behalf of such person in connection with such offering, shall ensure that the energy performance indicator of the current BER certificate for the dwelling is stated in any advertisements, where such advertisements are taken relating to the sale or letting of that dwelling.
- 2) A person who offers for sale or letting (whether in writing or otherwise)—
 - a. a new building other than a dwelling, the construction of which commences on or after 9 January 2013, or
 - b. a building other than a dwelling that is in existence on or before 9 January 2013,

and any agent acting on behalf of such person in connection with such offering shall ensure that the energy performance indicator of the current BER certificate for the building is stated in any advertisements, where such advertisements are taken relating to the sale or letting of that building.

- 3) Where advertisements are taken in relation to the sale or letting of a dwelling, or as appropriate a building other than a dwelling, the energy performance indicator of the current BER certificate for the dwelling, or as appropriate the building other than a dwelling, shall be displayed in such advertisements in accordance with guidance published by the Issuing Authority under the provisions of paragraph (4).
- 4) The Issuing Authority may publish, or arrange to have published on its behalf, guidance on the display of the energy performance indicator of the BER certificate for a dwelling, or as appropriate a building other than a dwelling, and on any associated text. The guidance may make provision for all or any of the following:
 - (a) forms of advertisement deemed to be within scope of the provisions of paragraphs (1) and (2);
 - (b) text in relation to the BER;
 - (c) font size and colour;
 - (d) energy performance indicator size and colour;
 - (e) line and paragraph spacing;
 - (f) background colour;
 - (g) such other matters as deemed by the Issuing Authority to be necessary or expedient for the purposes of this Regulation.

Contact Information

If you require any further information regarding these guidelines please contact:

BER Helpdesk

t: 1890 734 237 e: info@ber.seai.ie w: www.seai.ie/ber





